

Applicant(s) Application No. 10/789,488 RICHMOND, SIMON NICHOLAS Notice of Allowability Examiner **Art Unit** Minh D. A 2821 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 9/1/06. 2. The allowed claim(s) is/are 1-29. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🛛 All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: _____. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) Thereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date _ 3. Information Disclosure Statements (PTO/SB/08), 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. Other PRIMARY EXAMINER

Application/Control Number: 10/789,488 Page 2

Art Unit: 2821

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Christine Lekutis on 10/25/06.

The application has been amended as follows:

Claim 1, line 3, deleted "body" and inserted ----body including a spike---, line 6, deleted "a reflector mounted in the bottom region".

Claim 7, line 2, deleted "with a" and inserted ---with said---.

Claim 20, line 3, deleted "body" and inserted ----body including a spike---.

Claim 20, line 4, deleted "mounted on the body" and "and generally enclosing a chamber" and inserted ---connected to the body---

Claim 20, line 6, deleted "said chamber " and inserted --- said lens---:

Claim 20, line 9, deleted "on/off".

Remarks

2. The changes above have been provided to improve the clarification of the claims language.

Allowable Subject Matter

3. Claims 1-29 are allowed.

Application/Control Number: 10/789,488 Page 3

Art Unit: 2821

4. The following is an examiner's statement of reasons for allowance:

The prior art does not teach that, a body including a spike; a lens mounted on the body and generally enclosing a chamber having an upper rim surrounding a top opening, and a bottom region; a circuit having at least two lamps of different colours to produce a desired colour including a varying colour, the lamps being mounted to direct light into said chamber, connections for at least one rechargeable battery to power the circuit and a solar cell mounted on an exposed surface of the assembly and operatively associated with the connections to charge the battery, and a switch operated to control delivery of electric power from the battery to operate said circuit, the switch being exposed to provide for access thereto by a user recited in independent claims 1 and

- 5. The remaining dependent claims 2-19 and 21-29 are allowable for at least above reason.
- 6. Prior art made of record and not relied upon is considered pertinent to applicant's disclosure. None of record prior arts stands alone or combination with the others discloses all limitations required in claim invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Citation of relevant prior art

Application/Control Number: 10/789,488

Art Unit: 2821

The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

Wang (US. Patent No. 6,784,357) discloses a solar energy operated street

lamp.

Wismeth et al (U.S. Patent No. 6,729,742) discloses a solar lamp for outdoor

use.

Inquiry

Any inquiry concerning this communication or earlier communications from

the examiner should be directed to Minh Dieu A whose telephone number is (571)

272-1817. The examiner can normally be reached on M-F (5:30 AM-2:45 PM).

If attempts to reach the examiner by telephone are unsuccessful, the

examiner's supervisor, Timothy Callahan can be reached on (571) 272-1740. The

fax phone number for the organization where this application or proceeding is

assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for published

applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

Shih-Ulao CLO Shih-Chao Chen Shimary Examiner

Page 5

Examiner

Minh A

Art Unit 2821

10/29/06